



METIGLA

smart covering. simply passion.


CATALOGUE

Finishing pieces








TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 208 mm
Thickness: 0.50 mm	Weight: 1.5 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 178 mm
Thickness: 0.50 mm	Weight: 1.3 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA


Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA	
Length: 2000 mm	Total width: 178 mm
Thickness: 0.50 mm	Weight: 1.3 kg
Material: S250GD+Z conform SR EN 10346:2009	





TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 156 mm
Thickness: 0.50 mm	Weight: 1.1 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 312 mm
Thickness: 0.50 mm	Weight: 2.3 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 312 mm
Thickness: 0.50 mm	Weight: 2.3 kg
Material: S250GD+Z conform SR EN 10346:2009	







TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 312 mm
Thickness: 0.50 mm	Weight: 2.3 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	







TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 178 mm
Thickness: 0.50 mm	Weight: 1.3 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 208 mm
Thickness: 0.50 mm	Weight: 1.5 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3.0 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA	
Length: 2000 mm	Total width: 312 mm
Thickness: 0.50 mm	Weight: 2.3 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	


METIGLA




TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 2.8 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Lungime: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
 Base material: SR EN 10143:2006.
 Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA	
Length: 2000 mm	Total width: 312 mm
Thickness: 0.50 mm	Weight: 2.3 kg
Material: S250GD+Z conform SR EN 10346:2009	





TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA


Length: 2000 mm	Total width: 312 mm
-----------------	---------------------

Thickness: 0.50 mm	Weight: 2.3 kg
--------------------	----------------


Material: S250GD+Z conform SR EN 10346:2009



METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA 




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 416 mm
Thickness: 0.50 mm	Weight: 3 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA 




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 208 mm
Thickness: 0.50 mm	Weight: 1.5 kg
Material: S250GD+Z conform SR EN 10346:2009	






TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.5 kg
Material: S250GD+Z conform SR EN 10346:2009	


METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 200 mm	Total width: 89
Thickness: 0.50 mm	Weight: 0.1 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 305 mm
Thickness: 0.50 mm	Weight: 2.2 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 354 mm
Thickness: 0.50 mm	Weight: 2.6 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA 




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 1250 mm
Thickness: 0.50 mm	Weight: 9.2 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA 




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 69 mm
Thickness: 0.50 mm	Weight: 0.5 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).





TECHNICAL DATA

Length: 2000 mm	Total width: 78 mm
Thickness: 0.50 mm	Weight: 0.5 kg
Material: S250GD+Z conform SR EN 10346:2009	


METIGLA 





TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA	
Length: 2000 mm	Total width: 125 mm
Thickness: 0.50 mm	Weight: 0.9 kg
Material: S250GD+Z conform SR EN 10346:2009	




TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).




TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA



TOLERANCE
Base material: SR EN 10143:2006.
Finished product: General tolerance ISO 2768 Mk (average).



TECHNICAL DATA

Length: 2000 mm	Total width: 250 mm
Thickness: 0.50 mm	Weight: 1.8 kg
Material: S250GD+Z conform SR EN 10346:2009	

METIGLA 